

Fold Table Technical Specifications

Testing

Our tables are designed to meet or exceed all EN performance requirements per **EN 15372:2008**, which includes the following tests:

- Edges of top rounded or chamfered, no burrs or sharp edges
- Shall not be possible for load bearing parts to come loose unintentionally
- Shear and squeeze points during use
- Stability under vertical force – Main surface
- Horizontal static load – High
- Vertical static load
- Horizontal fatigue
- Vertical impact for tables without glass

Structural Testing Certifications

**FLD850D**  
Fold 850dia cafe table  
**BS EN 15372:2008, Level 2**  
Static load 120kg


Servicing

If a component is damaged and needs replacing then please email our team with an image of the damaged part and reference your order number, we will be happy to facilitate any replacements.

Warranty


naughtone offers a **5 Year** warranty across all products. Details on the terms and conditions of naughtones warranty can be found at [naughtone.com/warranty](http://naughtone.com/warranty)

Fold Coffee and Cafe Table Technical Specifications



Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small>	A Overall Width	B Overall Depth	C Overall Height	D From Floor to Beam	E Distance between Legs (front)	F Distance between Legs (side)	G Weight
1 <b>FLD650DL</b> Fold 650 Circular Coffee Table	650 mm 25.5 in	650 mm 25.5 in	350 mm 14 in	675 mm 26.5 in			14.8 kg 32.6 lbs
2 <b>FLD650SL</b> Fold 650 Square Coffee Table	650 mm 25.5 in	650 mm 25.5 in	350 mm 14 in	675 mm 26.5 in			16.2 kg 35.7 lbs
3 <b>FLD850DL</b> Fold 850 Circular Coffee Table	850 mm 33.5 in	850 mm 33.5 in	350 mm 14 in	675 mm 26.5 in			19 kg 41.9 lbs
4 <b>FLD850SL</b> Fold 850 Square Coffee Table	850 mm 33.5 in	850 mm 33.5 in	350 mm 14 in	675 mm 26.5 in			19 kg 41.9 lbs
5 <b>FLD11X55L</b> Fold Rectangular Coffee Table	1100 mm 43.5 in	550 mm 21.5 in	350 mm 14 in	325 mm 13 in			17.3 kg 38.1 lbs
6 <b>FLD650S</b> Fold 650 Square Café Table	650 mm 25.5 in	650 mm 25.5 in	750 mm 29.5 in	875 mm 34.5 in	460 mm 18 in	460 mm 18 in	22 kg 48.5 lbs
7 <b>FLD850D</b> Fold 850 Circular Café Table	850 mm 33.5 in	850 mm 33.5 in	750 mm 29.5 in	325 mm 13 in	660 mm 26 in	660 mm 26 in	27.4 kg 60.4 lbs
8 <b>FLD850S</b> Fold 850 Square Café Table	850 mm 33.5 in	850 mm 33.5 in	750 mm 29.5 in	325 mm 13 in	660 mm 26 in	660 mm 26 in	27.4 kg 60.4 lbs

Measuring Guide




Fold Bench Technical Specifications




Product Code and Description	A	B	C	D	E	F	G
	Overall Width	Overall Depth	Overall Height	From Floor to Beam	Distance between Legs (front)	Distance between Legs (side)	Weight
9 FLDB125 Fold Bench 1250	1250 mm 49 in	275 mm 11 in	450 mm 17.5 in	120 mm 4.5 in	1070 mm 42 in	120 mm 4.5 in	21.5 kg 47.4 lbs
10 FLDB145 Fold Bench 1450	1450 mm 57 in	275 mm 11 in	450 mm 17.5 in	120 mm 4.5 in	1270 mm 50 in	120 mm 4.5 in	24.4 kg 53.8 lbs
11 FLDB165 Fold Bench 1650	1650 mm 65 in	275 mm 11 in	450 mm 17.5 in	120 mm 4.5 in	1470 mm 58 in	120 mm 4.5 in	51 kg 112.4 lbs


Measuring Guide




Fold Standard Table Technical Specifications



Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small>		A Overall Width	B Overall Depth	C Overall Height	D From Floor to Beam	E Distance between Legs (front)	F Distance between Legs (side)	G Weight
12	FLD12D Fold Table 1200 Circular	1200 mm 47.5 in	1200 mm 47.5 in	750 mm 29.5 in	625 mm 24.5 in	670 mm 26.5 in	670 mm 26.5 in	54.3 kg 119.7 lbs
13	FLD14D Fold Table 1400 Circular	1400 mm 55 in	1400 mm 55 in	750 mm 29.5 in	625 mm 24.5 in	870 mm 34.5 in	870 mm 34.5 in	65.8 kg 145.1 lbs
14	FLD16D Fold Table 1600 Circular	1600 mm 63 in	1600 mm 63 in	750 mm 29.5 in	625 mm 24.5 in	1070 mm 42.5 in	1070 mm 42.5 in	74.5 kg 164 lbs
15	FLD16X8 Fold Table 1600 x 800	1600 mm 63 in	800 mm 31.5 in	750 mm 29.5 in	625 mm 24.5 in	505 mm 20 in	1330 mm 52.5 in	62.3 kg 137.3 lbs
16	FLD18X8 Fold Table 1800 x 800	1800 mm 71 in	800 mm 31.5 in	750 mm 29.5 in	625 mm 24.5 in	505 mm 20 in	1530 mm 60 in	66.5 kg 146.6 lbs
17	FLD20X9 Fold Table 2000 x 900	2000 mm 79 in	900 mm 35.5 in	750 mm 29.5 in	625 mm 24.5 in	605 mm 24 in	1730 mm 68 in	80.5 kg 177.5 kg
18	FLD22X9 Fold Table 2200 x 900	2200 mm 87 in	900 mm 35.5 in	750 mm 29.5 in	625 mm 24.5 in	905 mm 35.5 in	1730 mm 68 in	85 kg 187.4 lbs
19	FLD24X10 Fold Table 2400 x 1000	2400 mm 95 in	1000 mm 39 in	750 mm 29.5 in	625 mm 24.5 in	705 mm 28 in	2130 mm 84 in	98 kg 216.1 lbs
20	FLD24X12 Fold Table 2400 x 1200	2400 mm 95 in	1200 mm 47.5 in	750 mm 29.5 in	625 mm 24.5 in	905 mm 35.5 in	2130 mm 84 in	105.4 kg 232.4 lbs



Fold Multi-leg and Bar height Table Technical Specifications



Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small>		A Overall Width	B Overall Depth	C Overall Height	D From Floor to Beam	E Distance between Legs (front)	F Distance between Legs (side)	G Weight
21	FLD28 Fold 6 Leg Table 2800	2800 mm 110 in	1200 mm 47.5 in	750 mm 29.5 in	505 mm 20 in	905 mm 35.5 in	2520 mm 99 in	126 kg 277 lb
22	FLD32 Fold 6 Leg Table 3200	3200 mm 126 in	1200 mm 47.5 in	750 mm 29.5 in	505 mm 20 in	905 mm 35.5 in	3020 mm 115 in	183 kg 425 lb
23	FLD16BH Fold Bar Height Table 1600	1600 mm 63 in	800 mm 31.5 in	1000 mm 39 in	875 mm 34.5 in	505 mm 20 in	1330 mm 52.5 in	70 kg 154.5 lbs
24	FLD18BH Fold Bar Height Table 1800	1800 mm 71 in	800 mm 31.5 in	1000 mm 39 in	875 mm 34.5 in	505 mm 20 in	1530 mm 60 in	74 kg 163 lbs
25	FLD20BH Fold Bar Height Table 2000	2000 mm 79 in	900 mm 35.5 in	1000 mm 39 in	625 mm 24.5 in	505 mm 20 in	1530 mm 60 in	88.1 kg 194 lbs
26	FLD22BH Fold Bar Height Table 2200	2200 mm 87 in	900 mm 35.5 in	1000 mm 39 in	875 mm 34.5 in	605 mm 24 in	1730 mm 68 in	92.7 kg 204.5 lbs
27	FLD28X12BH Fold 6 Leg Bar Height Table 2800	2800 mm 110 in	1200 mm 47.5 in	1000 mm 39 in	875 mm 34.5 in	905 mm 35.5 in	2520 mm 99 in	132 kg 291.0 lbs
28	FLD32X12BH Fold 6 Leg Bar Height Table 3200	3200 mm 126 in	1200 mm 47.5 in	1000 mm 39 in	875 mm 34.5 in	905 mm 35.5 in	3020 mm 115 in	189 kg 416.5 lb

